




INTEGRATED CAMERA FOR ENDOSCOPY

Original Italian DESIGN



Wireless
Pedal



Software
EDM_Videocapture



EVS ED 420
Camera System



LYNEA EVO



OTOCOMPACT PROFESSIONAL LUXE

Call **1-201-768-9501** Online **sales@nicosgroup.com**

www.euroclinicusa.com



Euroclinic
medical equipment
division



INTEGRATED CAMERA FOR ENDOSCOPY

Original Italian DESIGN

LYNEA EVO

- * ENT Chair equipped with four linear motors, allowing independent positioning for the chair, back rest, seat (Trendelenburg) and leg rest
- * Operated by a foot-control (wireless pedal optional).
- * Solid Construction
- * Anatomically articulated head rest with vertical and horizontal manual adjustment



Technical Specifications

Power Supply Tension	110v or 230V -50/60Hz
Linak Motor Tension	24Vdc
Motor Lifting Push	6000N fast run
Back Rest Motor Push	6000N
Seat Motor Push	6000N
Unique Leg Rest Motor	6000N
Lifting Capacity	180kg
Power Absorbed	120VA
Weight	120kg
Base Length	800 mm

OTOCOMPACT PROFESSIONAL LUXE

- * All -in-one ENT System with integrated technology for LED light sources and a complete tablet for instruments.
- * Can be equipped with a microscope, as well as an LCD monitor for endoscopy procedures.
- * Steel structure is painted with epoxy powders, plus the system has a layer of transparent gloss for improved disinfection and protection against liquids and external agents
- * Mobile – six antistatic rubber castors allow operators to easily move the system throughout the procedure room

Technical Specifications

Power Supply Tension	110/120V or 220/240V
Frequency	50/60Hz
Absorbed Power (MAX configuration)	1200VA
Weight	120kg
Maximum Number of Instruments	4
Maximum Air Capacity	26/min (Variance until 250 Kpa)
Nominal Oil Free Suction Motor	-86 Kpa (645 mm Hg, 50it/min)
Nominal Suction with Oil Motor	-86 Kpa (645 mm Hg, 70it/min)
Power Supply Fuses	F1, F2=6, 3 AT
Fuse External Plug	F3=4 AT



Integrated into the all-in-one
ENT System!
**ZEISS OPMI-PICO
MICROSCOPE**





INTEGRATED ENT EXAM CHAIRS and WORKSTATIONS

Original Italian DESIGN

SUPREMA ENT 400



- ❖ Solid construction in Metal painted with epoxy powders
- ❖ 4 Powerful motors (up To 8000N) operating up/down, backrest , seat and leg rest movements
- ❖ - 20 degrees inclination when in Trendelbourg position
- ❖ Synchronized backrest-seat movement to grant security
- ❖ Wireless Pedal for chair movement. Four memories provided
- ❖ 3 Fixed memories with instant recall through 3 buttons fixed at both sides of chair
- ❖ Upholstery is composed of high density SKAI (non-deform foam, tear resistant, antimicrobial and easy to clean)
- ❖ Chair rotates , is equipped with a position locking device
- ❖ Single leg-rest activated by motor with a reclining foot rest
- ❖ Anatomical articulated head rest
- ❖ Pull up armrests allowing for safe & easy entrance/exit

LYNEA EVO



- ❖ Solid construction in Metal painted with epoxy powders
- ❖ 4 Powerful motors (up to 6000N) operating up/down, backrest , seat and leg rest movements
- ❖ -20 degrees inclination when in Trendelbourg position
- ❖ Synchronized backrest-seat movement to grant security
- ❖ Wireless Pedal for chair movement . Two memories provided
- ❖ Rotation of 360 degrees with manual locking device
- ❖ Upholstery is composed of high density SKAI (non-deform foam ,tear resistant , antimicrobial) and easy to disinfect. All panels are removable , allowing for ease of service
- ❖ Single leg-rest activated by motor with reclining foot rest
- ❖ Anatomical articulated head rest
- ❖ Pull up armrests allowing for safe & easy entrance /exit
- ❖ Up to 40 color choices available

OTO P / V PROFESSIONAL



- ❖ Solid construction in Metal painted with epoxy powders
- ❖ Single motored chair with height adjustment controlled by foot pedal
- ❖ Single leg rest lifted by a gas spring-device
- ❖ Chrome metal footrest
- ❖ High-density foam chair with bi-elastic, tear resistant, antimicrobial SKAI upholstery
- ❖ Reclining back rest to 180 degrees
- ❖ Height – adjustable head rest
- ❖ Detachable , revolving armrests for easy entrance and exit for the patient
- ❖ Rotation of 360 degrees with position locking device
- ❖ Lifting capacity up to 320 lbs.
- ❖ Up to 40 colors available

Call **1-201-768-9501** Online **sales@nicosgroup.com**

www.euroclinicusa.com



Euroclinic
medical equipment
division




INTEGRATED CAMERA FOR ENDOSCOPY

Original Italian DESIGN



Wireless
Pedal



Software
EDM_Videocapture



EVS ED 420
Camera System



LYNEA EVO



OTOCOMPACT PROFESSIONAL LUXE

Call **1-201-768-9501** Online **sales@nicosgroup.com**

www.euroclinicusa.com



Euroclinic
medical equipment
division